




Chemical Products

- Anti-slip
- Sealants
- Adhesives & Putties
- Surface Protection
- Care Products
- Cleaning
- Lettering Colors
- Accessories





Discover our comprehensive range of chemical products for stone processing!

From epoxy and polyester adhesives to silicone sealants and surface protection products, we offer solutions for every application.

Our products include solvent-based or water-based impregnations and sealers, care products with high-quality ingredients and cleaning agents for indoor and outdoor use. Also for particularly acid-sensitive materials. Of course, you can also obtain a large number of cartridge guns and mixing nozzles from us.

You can rely on well-known brands such as Akemi or our tried and tested house brand Saxo.

Anti-slip _____	5
Sealants _____	6
Adhesives & Putties _____	8
Surface Protection _____	28
Care Products _____	35
Cleaning _____	38
Lettering Colors _____	46
Accessories _____	50



Akepox 4050 Anti-Slip 400ml

Weather-resistant, 2-component anti-slip product (R11).

- For anti-slip surfaces on natural and artificial stone, ceramics, for stairs, in entrance areas, in areas exposed to water and sloping.
- Suitable for granite indoors and outdoors, suitable for limestone only indoors.
- As soon as pressed out with the gun it is already mixed
- Container ml: 400

Article#	Colour	Akemi#
109703	Anthracite	10581
110088	Beige	10589
118546	Grey	10590
120770	White	10583
120180	Yellow	10587

BBrake anti slip paint 250ml

Transparent anti-slip for baths, stairs, beauty farms, sauna, swimming pools, ramps internal/external and anywhere an anti-slipping system is necessary.

- Easy to use on any type of floor
- Professional result
- Odorless and inconspicuous
- Non-yellowing
- Durable
- Coverage 4 - 5 m²



Article#	Colour	Container ml	Pack. unit
140767	Transparent	250	1



Saxo natural stone silicone 310 ml

Our weather and UV-resistant silicone with a temperature resistance of up to 180°C.

- Excellent for marble and natural stone
- Also suitable for alkaline substrates
- Our silicone is resistant to damp rooms and minimizes odour
- Has good smoothing properties
- Acid-free
- Large selection of colors available
- Pack. unit: 12

Article#	Colour
109932	Anthracite
153182	Anthracite gray
153177	Anthrazit matt
109931	Bahama Beige
153332	Basalt gray matt
109933	Black
153176	Black matt
153181	Brown
109936	Concrete Grey
153175	Jasmine
153324	Joint gray matt
153333	Light beige matt
153334	Light beige matt
153325	Light gray matt
153178	Light-Grey
109934	Manhattan
153179	Perl grey
109935	Sanitary grey
153180	Stone grey mat
109929	Transparent
109930	White
153322	White matt

Quantity scale

2 pce 10%



Smoothing agent for silicone

Special smoothing agent that has been specially developed for marble and natural stone and does not cause discoloration at the edges.

- Watery solution of surfactants
- Specially designed for delicate marble and natural stone
- Maintains the shine of the sealant surface
- Only use undiluted
- Pack. unit: 1

Article#	Container ml
114173	500
108390	5000

Chemical Products

Adhesives & Putties

Quantity scale

6pce 10%



Airocoll S transparent 1,0kg

Stone cement which can be applied by a spatula for use on vertical surfaces and repair of damaged edges.

- Liquid consistency
- Polyester based

Article#	Location	Colour	Container kg	Pack. unit	Proc. time	Curing time	Polishing
105097	Indoors	Transparent	1	6	Short	Fast	Good



Akemi colouring paste 30ml

Only for colouring Akepox fillers and adhesives and to match the colour of the adhesive with that of the respective stone.

- Polyester based
- Pasty consistency
- Packing 8 pcs.

Article#	Colour	Akemi#
130834	8 colors	11007
104089	Black	11004
104093	Brown	11011
104091	Green	11006
104090	Ocher	11005
104086	Red	11001
104087	Red brown	11002
104088	White	11003



Akemi hardener paste white

White hardener for two-component filler and resins based on polyester.

- Pasty consistency
- Polyester based

Article#	Container ml	Akemi#
104105	30	30406
104106	60	30407
104107	150	30408

Akemi liquid hardener white 125 g

White hardener for use with Marble Filler 1000, Marble Filler Super, Polishing Line Adhesive, Superfast Volume Filler, AKS System Filler, MS76 and Platinum: with exception of Marble Filler 1000 Transparent Waterclear and Marble Filler 1000 Transparent L-Special Waterclear).

- Easy mixing
- Liquid consistency
- Polyester based



Article#	Akemi#	Container g	Pack. unit
102067	30446	125	6



Akemi marble filler 1000 S 1,0 L

For bonding and filling of natural stone in a vertical position, for modelling corners and edges and filling large holes. Preserves the natural appearance of the slabs or tiles.

- Stiff, paste-like filler,
- Does not change its consistency by stirring, keeps its stability even in case of higher temperatures
- Polyester based
- Container ml: 1000
- Pack. unit: 6

Article#	Colour	Akemi#
109046	Black	10515
108949	Grey-Neutral	10506
104066	Jura light	10507
104068	White	10512

Akemi marble filler 1000 S jura-light 150 ml

Pasty and stiff filler retains its stability even at higher temperatures and the consistency is not changed by mixing. For cementing and bonding natural stones in vertical areas, for modeling corners and edges and for filling larger holes.

- Hardener included
- Packaging unit 6 pieces
- Trowelable
- Polyester based



Article#	Location	Akemi#	Colour	Container ml	Pack. unit	Proc. time	Curing time	Polishing
104065	Indoors	10505	Jura light	150	6	Short	Fast	Good



Akemi marble filler 1000 Thixo 1,0 L

For bonding and filling of natural stone predominantly in a vertical position and for modelling corners and edges.

- Stable
- Including hardener
- Creamy soft, smooth putty
- Excellent and fast surface drying
- Resistant to water, petrol and mineral oils
- Pack. unit: 6

Article#	Colour
112606	Black
110936	Jura light
110771	Jura yellow
124062	White
119358	travertin-hell

Akemi marble filler 1000 Transparent

For bonding and filling of natural stones.

- Including hardener
- Liquid, transparent putty on polyester base
- Also suitable for bonding of fiberglass products



Article#	Container ml	Consistency	Pack. unit	Akemi#
104076	900	Liquid	6	10701
108418	4500	Liquid	1	10703
104081	900	Thin	6	10718



Akemi marble filler 1000 Transparent L-Spezial

A gel-like, knife-grade filler, that does not change its consistency by stirring.

- Keeps its stability even in case of higher temperatures.
- For bonding and filling of natural stone in a vertical position and for modelling corners and edges

Article#	Colour	Container ml	Consistency	Pack. unit	Akemi#
105248	Transparent	4500	Gel	1	10711
104078	Transparent	900	Trowel-ready	6	10710
104083	Waterclear	900	Trowel-ready (waterclear)	6	10722

Akemi marble filler 1000 Universal 1,0 L

For filling small holes or cracks and for bonding natural stone in horizontal areas.

- Good working properties on horizontal surfaces due to liquid, creamy consistency
- Fast hardening (20-40 minutes)
- Good working properties (grinding, milling, drilling)
- Excellently polishable
- Very good adhesion on natural stones also at higher temperatures (70-80°C; in case of low exposure to strain: 100-110°C)
- Resistant to water, petrol and mineral oils



Article#	Colour	Container ml	Pack. unit	Akemi#
104054	Jura yellow	150	24	10102
104058	Black	1000	6	10107
104059	White	1000	6	10108
104062	Jura yellow	1000	6	10120



Akemi MS76 3 kg for wall dispenser

Used for bonding natural and artificial stone among each other or metal, wood and various plastics. Especially suited for reinforcing tasks due to its excellent adhesion on metal and its liquid consistency.

- Including hardener
- Container g: 3000
- Pack. unit: 6

Article#	Colour	Consistency	Akemi#
111740	Black	Pasty	10923
108914	Light beige	Liquid	10921

Akemi MS76 490ml cartrid-ge black

Used for bonding natural and artificial stone among each other or metal, wood and various plastics. Especially suited for reinforcing tasks due to its excellent adhesion on metal and its liquid consistency.

- Hardener included
- Color black
- Liquid consistency



Article#	Location	Akemi#	Container ml	Proc. time	Curing time	Polishing
148246	Indoors	11078	490	Short	Fast	Moderate



Akemi MS76 light grey

Used for bonding natural and artificial stone among each other or metal, wood and various plastics. Especially suited for reinforcing tasks due to its excellent adhesion on metal and its liquid consistency.

- Including hardener
- Colour: Light grey

Article#	Container g	Consistency	Pack. unit	Akemi#
111385	1000	Liquid	6	10925
110518	1500	Pasty	6	10915
104085	1500	Thick	6	10903
101224	15000	Thick	1	10904
111087	7500	Thin	1	10926

Akemi MS76 light grey 490 ml cartridge

Used for bonding natural and artificial stone among each other or metal, wood and various plastics. Especially suited for reinforcing tasks due to its excellent adhesion on metal and its liquid consistency.

- Including hardener
- Colour: Light grey
- Container g: 490
- Pack. unit: 12



Article#	Consistency	Akemi#
114543	Liquid	10929
140288	Thin	10785



Akemi Platinum P+ 900 ml

Gel-like, transparent-opaque adhesive (very light inherent color), based on epoxy acrylate, high adhesive power, very fast surface drying and further processing.

- Very good for bonding of natural and artificial stones
- Almost crystal clear inherent color, as 100% pure epoxy acrylate
- Protection against yellowing by UV rays
- Fast surface drying
- Very good polishing ability
- Incl. 30 grams of hardener paste
- Colour: Transparent
- Container ml: 900
- Pack. unit: 6

Article#	Consistency	Akemi#
106957	Gel	10725
106981	Liquid	10726

Akemi Super 900 ml

2-component product based on acrylic resins containing methyl methacrylate.

- Good penetration into porous areas and fissure due to fast wetting and highly liquid consistency
- Fast and tack
- Free hardening (20-60 minutes)
- Excellently polishable
- Very good adhesion on natural and artificial stones resp. on alkaline building materials
- Resistant to water, petrol and mineral



Article#	Location	Akemi#	Colour	Container ml	Pack. unit	Proc. time	Curing time	Polishing
104080	Indoors	10714	Champagne	900	6	Short	Fast	Excellent

Akepox 1005 1,25 kg

Very low viscosity, 2-component filler, weather-resistant, foodsafe (certified by an external German testing institute).

- Very high penetration into fine and deep cracks
- Fills small holes and finishes at the same time the surface of the stone
- Only slight tendency to discolour
- Easy to colour, free of solvents



Article#	Location	Akemi#	Colour	Container kg	Pack. unit	Proc. time	Curing time	Polishing
108955	Indoors, Outdoors	10676	Light transparent	1,25	6	Long	Slow	Excellent



Akepox 2000

Liquid, 2-component adhesive, easy to colour, free of solvents, weather-resistant.

- Used for laminating (sandwiching), filling fissures and bonding in a horizontal position
- Good adhesion on humid stone
- Mixing ratio 2:1

Article#	Container kg	Pack. unit	Akemi#
104073	1,5	6	10618
106136	15	1	10619

Akepox 2010

Gel-like, 2-component construction adhesive, free of solvents, weather-resistant.

- Used for fine bonding joints and for the bonding of natural and artificial stone in a vertical position
- Easy to colour
- Good adhesion on humid stone
- Mixing ratio 2:1



Article#	Container kg	Pack. unit	Akemi#
104072	0,45	12	10616
104075	2,25	6	10623
108394	15	1	10624



AkepoX 2010 Gelmix

Weather-resistant, 2-component construction adhesive, gel-like, in cartridges, precise dosing and homogeneous mixing.

- For bonding natural and artificial stone, wood, ceramics and metal letters
- Precise dosing and homogeneous mixing
- Good adhesion to damp stones

Article#	Container ml	Pack. unit	Akemi#
105639	50	24	10627
106447	400	12	10615

AkepoX 2030

Weather-resistant, creamy 2-component construction adhesive for immediate use.

- For structural bonding of natural and artificial stone in vertical areas
- Very good adhesion to damp stone, aluminum and other metals, as well as natural and artificial stone
- Mixing ratio 2:1
- Pack. unit: 6
- Location: Indoors, Outdoors
- Proc. time: Long
- Curing time: Slow
- Polishing: Good



Article#

105136



AkepoX 2030 Gelmix

Weather-resistant, creamy, 2-component construction adhesive in a professional cartridge system for instant use. Can be exactly dosed and homogeneously mixed.

- Used for bonding natural and artificial stone in a horizontal or vertical position and for filling drill holes as an anchorage
- High adhesion on metal, clay bricks, aluminium and humid stone
- Press it out with the gun and it is already mixed
- Mixing ratio 2:1

Article#	Colour	Container ml	Pack. unit	Akemi#
111111	Black	400	12	10600
105698	Grey-Green	400	12	10604
119861	Light ivory	400	12	10614
107663	Black	50	24	10564
109832	Grey-Green	50	24	10563

AkepoX 2040

Paste-like, 2-component construction adhesive, free of solvents, weather-resistant.

- Used for bondings to vertical surfaces in construction work and for levelling off the surfaces of natural and artificial stone which are particularly uneven
- For glueing tiles, ideal for modelling
- Very good adhesion to damp stone, aluminium and other metals
- Mixing ratio 2:1



Article#	Container kg	Pack. unit	Akemi#
104071	0,75	12	10611
104069	3,75	6	10606



AkepoX 3000 Mini Quick

Fast-hardening, 2-component fixing adhesive, gel-like, in cartridges. Can be exactly dosed and homogeneously mixed.

- Fixing adhesive for low loads
- Used for fixing metal letters
- Ideal for fixing natural and artificial stone into position
- Press it out with the gun and it is already mixed

Article#	Colour	Container ml	Pack. unit	Akemi#
108790	Transparent	395	12	10575
108268	Black	50	24	10561
105637	Transparent	50	24	10638

AkepoX 3015 Rapid Bond black 395 ml

Fast hardening 2-component adhesive which can be stressed very quickly, liquid, in cartridges.

- Excellent contact adhesion especially on metal and siliceous natural stone
- Due to its high initial stability, the adhesive can be stressed very quickly and is therefore very suitable for false edges, assembly work and bonding of profiles
- Can be exactly dosed and homogeneously mixed
- Mixing ratio 1:1



Article#	Location	Akemi#	Colour	Container ml	Pack. unit	Proc. time	Curing time	Polishing
114941	Indoors, Outdoors	10798	Black	395	12	Short	Fast	Good



AkepoX 5000 1,5 kg

Low viscosity, 2-component filler, only slight tendency to discolour.

- For visible bonding joints indoors and outdoors, inlay and restoration work, filling cracks, embedding and reinforcing work
- Good adhesion on humid stone
- Easy to colour, free of solvents, weather-resistant
- Mixing ratio 2:1

Article#	Location	Akemi#	Colour	Container g	Pack. unit	Proc. time	Curing time	Polishing
107533	Indoors, Outdoors	10681	Transparent-Waterclear	1500	6	Long	Slow	Excellent

Chemical Products

Adhesives & Putties



Akepox 5010 2,25 kg

Gel-like, 2-component construction adhesive, only slight tendency to discolour, ideal for colouring, free of solvents, weather-resistant.

- For face joints indoors
- For outdoors , particularly where they are visible
- For Quadratures, for restauration work in contact with mortar, ideal for white natural and artificial stone

Article#	Akemi#	Container ml	Pack. unit
105664	10685	2250	6

Akepox 5010 400 ml

For color-accurate bonding of visible joints indoors and outdoors (facades, mitres, vices).

- Gelatinous 2K construction adhesive
- Exact dosage and homogeneous mixing
- Yellowing
- Food safe
- Container ml: 400
- Pack. unit: 6



Article#	Colour	Akemi#
136862	Beige CC 1720	11465
138174	Beige CC 1735	11470
136858	Black CC 1000	11460
136860	Black CC 1020	11461
142296	Brown CC 2060	11469
139981	Crema CC 1670	11464
136863	Gray CC 1830	11466
138175	Gray CC 1880	11461
136864	Khaki CC 1920	11468
138173	White CC 1100	11462
136861	White CC 1130	11463



Akepox 5010 Gel Mix

Weather-resistant, gel-like 2-component construction adhesive, low yellowing, in cartridges, precise dosing and homogeneous mixture.

- For bonding with visible joints indoors and outdoors, especially where the adhesive joint is visible and for crossings, in combination with mortar for restorations
- Ideal for white natural and artificial stone
- Mixing ratio 2:1

Article#	Container ml	Akemi#
107296	50	10684
110346	400	10687
137803	450	22911

Akepox 5010 Single Mix 265 ml

For bonding with exposed joints indoors and outdoors, especially where the glued joint is visible and on veneers, in combination with mortar in restorations, ideal for white natural and artificial stone. For technoceramics, quartz composite, artificial stone and hard stone. Squeeze out with 1K gun and mixing nozzle.

- Gel-like 2K construction adhesive
- Exact dosage and homogeneous mixing
- More weather resistant
- Food safe



Article#	Location	Akemi#	Colour	Container ml	Pack. unit	Proc. time	Curing time	Polishing
150580	Indoors, Outdoors	10325	Colorless	265	12	Long	Slow	Excellent



Akepox 8 colouring pastes

For dyeing Akepox fillers and adhesives and for the adjustment of the color of the adhesive to the respective stone color.

- Colouring paste for adhesives on Epoxy basis
- Color concentrate pastil

Article#	Akemi#	Colour	Container ml	Pack. unit
151976	11226	8 colors	30	1



Akepox colouring paste

To match the colour of the adhesive with that of the respective stone.

- For colouring AKEPOX fillers and adhesives
- Container ml: 30
- Pack. unit: 8

Article#	Colour	Akemi#
104097	Black	11223
105676	Blue	11027
104095	Brown	11221
104099	Green	11225
104098	Ocher	11224
104094	Red	11220
105695	Red brown	11228
104096	White	11222

Contact saw wire with pulls

Special wire for cutting „Contact 55“ bond.

- Clearance min. 1-2 mm
- Including pull handles



Quantity scale

3 pce	10%
5 pce	25%
10 pce	35%
20 pce	45%

Article#	Length m	Thickness mm
110190	22	0,8

Quantity scale

12 pce 10%



Contact special cleaner 500 ml

Ready to use cleaner for a quick preparation of the bonding surfaces (cleaning, degreasing).

- Dirt and degreasers effect

Article#	Container ml	Pack. unit
110240	500	12

Contact Typ 55 310 ml

Special 1-component adhesive with pasty consistency for natural stone, engineered stone and concrete.

- Strong bonding at almost all surfaces
- Sealing and gluing on wet surfaces
- No marginal staining
- Container ml: 310
- Pack. unit: 12
- Processing temperature °C: 5 - 40
- Location: Indoors, Outdoors
- Proc. time: Short
- Curing time: Slow
- Polishing: Moderate



Quantity scale

12 pce 10%
36 pce 25%
60 pce 35%

Article#	Colour
108451	Black
110238	Crystal clear
108450	Grey



Saxo Aktivator for CA - spray 150ml

Cleans, degreases parts and accelerates the strength of CA adhesives.

- Hand strength is achieved in 1-4 seconds, depending on the CA adhesive, as well as the gap between the parts and the room temperature.

Article#	Container ml
151201	150



Saxo adhesive for glasfiber 5,0 kg

2-component adhesive to glue natural stone as well as filling dowel drills. Also for gluing different material in conjunction with natural stone.

- Polishable
- Polyester based
- Fast and low-strain hardening

Article#	Colour	Container kg	Consistency	Pack. unit
153155	Transparent	5	Liquid	1

Saxo Pox 2021

For optical constructive, high-quality adhesion of transparent ground level natural-stone and other material.

- Specially for bonding of concrete
- Use on vertical surfaces
- Consistency palette-knife
- Epoxy based
- Colour: Transparent
- Location: Indoors, Outdoors
- Proc. time: Short
- Curing time: Slow
- Polishing: E×cellent



Quantity scale

12 pce 10%

Article#	Container ml	Pack. unit
115267	200	12
115265	1750	6

Quantity scale

24 pce 10%



Saxo Pox speed 2020

Fast system for high-strength connection of building materials. Hardens after processing without shrinkage to a hard, impact-resistant adhesive bond.

- Dowelling of bronze letters
- Mixing ratio 1:1
- Liquid consistency
- Epoxy based
- Location: Indoors, Outdoors
- Proc. time: Short
- Curing time: Slow
- Polishing: E×cellent

Article#	Colour	Container ml
115261	Transparent	25
115263	Black	50
115262	Transparent	50

Saxo superglue

Available in two versions:

High viscosity (approx. 1200-1500 mPa.s)

- Hand strength: 10 - 30 seconds
- Temperature resistance: -50°C to +80°C

Low viscosity (approx. 3-10 mPa.s)

- Hand strength: 2 - 10 seconds
- Temperature resistance: -50°C to +80°C
- Location: Indoors
- Proc. time: Short
- Curing time: Fast
- Polishing: Moderate



Article#	Container g	Consistency
151199	500	Liquid
153095	50	Liquid
151200	500	Thick
153094	50	Thick



Tenax Elix transparent 2,25 kg

Tenax Elix is a special epoxy adhesive with a smooth consistency for infilling and for bonding mitered natural and cast stone.

- Lpw-yellowing and easy to color.
- Ideal for bonding exposed joints indoors and outdoors.
- Successfully tested for food related surfaces. The food compatibility is proven.

Article#	Location	Container kg	Consistency	Mixing ratio	Pack. unit	Proc. time	Curing time	Polishing
145523	Indoors, Outdoors	2,25	Gel	2:1	12	Short	Slow	Excellent

Tenax Epoxy Plus 50 ml

Strongly adhesive system for bonding stone materials, artificial stone, ceramics and metal indoors and outdoors.

- Gelation time (in bulk at 25°C): 5-6 min.
- Processing time (at 25°C): approx. 60-70 min.



Article#	Location	Colour	Container ml	Mixing ratio	Pack. unit	Proc. time	Curing time	Polishing
151235	Indoors, Outdoors	Transparent	50	1:1	25	Short	Fast	Moderate

Tenax Fixtop 2,8 Kg

Tenax Fixtop Deck is a slow-curing, super-strong epoxy tile and stone adhesive. It was specially developed as a deck adhesive.

- Ideal for installing countertops over plywood when a slow curing adhesive is needed.
- Very smooth consistency and is perfect for troweling.
- Glues hard but flexible. Does not soften or dissolve in water.
- Excellent epoxy thin film material.
- Suitable for interior and outdoor use.
- Material: mosaic, all stones, ceramics, porcelain.
- Applications in the shower
- Gel time in bulk: 2 hours 30 minutes
- Adhesion-free time at 25°C: 5-6 hours
- Minimum reaction temperature: 10°C
- Temperature range for use after curing: -10°C to +60°C



Article#	Location	Weight kg	Mixing ratio	Proc. time	Curing time	Polishing
151234	Indoors, Outdoors	2,8	1:1	Short	Slow	Moderate



Tenax Glaxs Original

Tenax Glaxs Original is a special adhesive system of the latest generation.

- Without yellowing due to sunlight.
- High adhesive strength and cures even at 1 °C.
- Remains almost invisible and leaves no edge zone discoloration, making it well suited for light to white stone types.
- Can be used indoors and outdoors.

Article#	Location	Colour	Container ml	Pack. unit	Proc. time	Curing time	Polishing
151236	Indoors, Outdoors	Transparent	50	25	Short	Fast	Excellent

Tenax Polyfast Rodding

Tenax Polyfast Rodding is used for bonding natural and synthetic stone among each other and wood, as well as various plastics.

- Special adhesion to metal and glasfiber.
- The cartridge system is particularly suitable for bonding of glasfiber reinforcement for kitchen countertops.



Article#	Location	Colour	For cartridge ml	Container ml	Pack. unit	Proc. time	Curing time	Polishing
143702	Indoors	Beige	490	490	6	Short	Fast	Moderate



weha Premium 2K glue for swarovski stone 50ml

Our 2-component adhesive is especially suitable for bonding crystal gemstones and impresses with its excellent adhesion and versatility. It is ideal for bonding two different materials and offers excellent adhesive properties on natural stone, metal, glass, plastic and porcelain.

- Consistency: low viscosity
- Curing time at room temperature: 24 hours
- Mixing ratio: 1:1
- Color: yellowish transparent

Article#	Colour	Container ml
152494	Transparent	100

Quantity scale

2 pce 10%
6 pce 15%



Article#	Container ml	Akemi#
111084	250	11931
111085	1000	11932
111086	5000	11933

Akemi anti-stain nano

Outstanding impregnation on the basis of high-quality, organic substances, foodsafe (certified by an external German testing institute).

- A special impregnation which strongly repels water, grease and oil.
- Used to protect flooring, table tops and working surfaces made of absorbent natural and artificial stone (s.a. marble, Solnhofen stone, sandstone, fine stoneware).
- For indoors and outdoors.
- Prevents the stone from staining spots or makes removing of spots much easier, the stone remains capable of breathing.
- The protective effect already begins after some minutes and is fully effective after 2-3 hours.
- Normally the colour of the stone remains unchanged.
- Special substances work against a laminar wetting through liquid drops.
- Ball-shaped liquid pearls which lie only selectively on top of the stone surface, run off the surface.

Akemi anti-stain super

Outstanding impregnation on the basis of silicone with a double stain protection, foodsafe (certified by an external German testing institute).

- A special impregnation which strongly repels water, grease and oil
- Used to protect flooring, table tops and working surfaces made of absorbent natural and artificial stone (s.a. marble, Solnhofen stone, sandstone, fine stoneware).
- For indoors and outdoors
- Prevents the stone from staining spots or makes removing of spots much easier, the stone remains capable of breathing
- Colour intensification may be possible on some kind of stones



Quantity scale

2 pce 10%
6 pce 15%

Article#	Container ml	Pack. unit	Akemi#
110025	250	20	10949
110026	1000	6	10950
110027	5000	2	10951

Quantity scale

20 pce 10%



Akemi anti-stain W

Impregnation on the basis of a solution dissolved in water, foodsafe (certified by an external German testing institute).

- A special impregnation which repels water, grease and oil
- Used to protect flooring, table tops and working surfaces made of absorbent natural and artificial stone (s.a. marble, Solnhofen stone, sandstone, fine stoneware)
- For indoors and outdoors
- Prevents the stone from staining spots or makes removing of spots much easier, the stone remains capable of breathing
- The product is free of solvents and has only a faint odour, therefore it is ideal for use in rooms which are already in use
- Excellently suitable for application on humid surfaces

Article#	Container ml	Pack. unit	Akemi#
110725	250	12	10856
109093	1000	6	10857

Akemi color intensifier Transformer MAX

Rapid color deepening on natural stone and engineered stone.

- For fast color deepening and refreshing
- For brushed, satin-finished, finely honed and polished stone surfaces
- For natural stone, terrazzo, cast stone and engineered stone (quartz composite)
- Particularly suitable for matching the color of machined edges and draining surfaces to satin-finished worktop surfaces



Article#	Container ml	Pack. unit	Akemi#
130305	1000	6	12043
130304	250	20	12042



Akemi colour intensifier

Impregnation which intensifies colour shades extremely well.

- Weather-resistant product with a long-term effect for indoors and outdoors.
- Produces a wet look without a glossy shine.
- Repels water and dirt and is particularly suitable for rough and absorbent natural and artificial stones.

Article#	Container ml	Pack. unit	Akemi#
120070	250	20	11855
108142	1000	6	10887
109262	5000	2	10888

Akemi colour intensifier Super

Impregnation which intensifies colour shades extremely well. Beginning of protective effect (20°C): approx. 24-48h.

- Weather-resistant product with a long-term effect for indoors and outdoors.
- Especially suited for colour enhancement of dark and black stone (such as Nero Assoluto, Impala black and Galaxy).
- Damaged areas (e.g. hairline cracks) can be treated.
- The surface thus obtains a homogeneous appearance.
- Especially suited for fine ground and polished stones.



Quantity scale

20 pce 10%

Article#	Container ml	Pack. unit	Akemi#
111661	250	20	10939
109422	1000	6	10940
109423	5000	2	10941



Akemi Impregnator Natura

Water and dirt-repellent stone impregnation based on a silane/siloxane mixture emulsified in water.

- Can also be used on surfaces with residual moisture
- Neutral pH value, therefore also suitable for polished marble surfaces
- Solvent-free, no VOC
- Environmentally friendly

Article#	Container ml	Pack. unit	Akemi#
133708	5000	2	12046
133506	1000	6	12045

Akemi Pearl Impregnator 1,0 L

Premium impregnation for high quality light natural stones and quartz composite.

- Significantly increased protection against water, oil and organic discoloration
- Excellent long-term effects
- Very high coverage of up to 35 m² / liter



Article#	Akemi#	Container ml	Pack. unit
145790	12311	1000	6

Quantity scale

6 pce 10%



Akemi stone impregnation

Impregnation based on silicone.

- Penetrates deep into the stone, makes it water-repellent without impairing the vapour permeability
- Protects facades from driving rain
- causes water to pearl off and is dirt-repellent.

Article#	Container ml	Pack. unit	Akemi#
109040	1000	6	10834
109041	5000	2	10835

Quantity scale

6 pce 10%



Akemi stone seal silk gloss

Solvent-based sealant made from high-quality acrylic resins.

- The closed surface makes the stone easier to clean
- Used to seal porous & absorbent surfaces
- The colorless sealer with long-term protection
- Makes color & structure appear more intense
- Preferred use indoors
- Weather-resistant, non-yellowing
- Waterproof & dirt-repellent
- Coverage approx. 10-20 sqm/liter

Article#	Container ml	Pack. unit	Akemi#
104084	1000	6	10838
109261	5000	2	10839

Akemi stone sealer mat finish

Sealer which contains solvents and high-grade acrylic resins. It is weather-resistant and non-yellowing.

- The colourless acrylic coating provides long-term protection and is water and dirt-resistant
- It is used to seal porous and absorbent surfaces
- Colours and structures appear more intensive
- On account of the sealed surface, the stone is easier to care for
- Preferably used indoors



Quantity scale

6 pce 10%

Article#	Container ml	Pack. unit	Akemi#
109260	1000	6	10840
109259	5000	2	10841



Akemi Top Shield 250 ml

The protective shield for high quality surfaces.

- High performance impregnation
- Extremely strong protective effect for all stone surfaces
- Also suitable for polished surfaces
- For indoor and outdoor
- Very high fertility
- Foodsafe (certified by an external German testing institute)
- Container ml: 250
- Pack. unit: 20

Article#	Colour	Akemi#
141193	Black	12018
126001	Transparent	11966

Saxo colour intensifier

Weatherproofed product with long-term effect for using indoor and outdoor. Gives you a „wet-effect“ without gloss. Especially for rough and absorbent natural and engineered stone.

- Hydrophobic and stain-resistant
- Reinforced colour and structure
- Yield 7-15 m² /liter
- Reaction time: After 30 min



Quantity scale

2pce 10%

Article#	Container ml	Pack. unit
109766	1000	10
109767	5000	2

Quantity scale

3pce 10%



Saxo Nano-impregnation 250 ml

Suitable for granite, terracotta & clay, sandstone and natural stone with a high lime content. Ready-to-use high-performance impregnation for kitchen worktops, washstands, counters, tables and window sills.

- Excellent protection against a wide range of stains.
- Can be used indoors and outdoors
- Water, oil and grease repellent effect
- No sticky effect after reacting
- Highly economical (up to 40 sqm/liter)
- No color deepening on polished surfaces
- Can also be used on rough surfaces
- Can be used on natural stone, ceramic and quartz composite

Article#	Container ml	Pack. unit
111078	250	10

Quantity scale

2pce 10%



Saxo stone impregnation

For absorbent artificial and natural stones, with water- and dirt-repellent effect provides a long-lasting protection with beading effect and prevents moisture penetration.

- There is no gloss and the appearance of the treated surfaces is not changed.
- Yield approx. 10-20 m² /liter

Article#	Container ml	Pack. unit
109764	1000	10
109765	5000	2

Tenax Ager

Tenax Ager is a strongly color-deepening impregnation with extreme resistance to UV influence for all natural stones and quartz materials, especially for polished and brushed surfaces. Especially dark, black granite types get a beautiful, even surface. With longer exposure time (approx. 2 hrs.) „gray clouds“ can be colored in the Assoluto Zimbabwe. (However, influences in the stone that are not desired can be highlighted). Remove excess material with acetone. Allow to dry well before packing. Do not use absorbent packing material!



Article#	Container ml	Pack. unit
112262	1000	12



Tenax Deeper

Tenax Deeper is a strongly color-deepening impregnation with high UV resistance for all natural and artificial stones.

- Guarantees unproblematic application and ensures fewer problems with residual moisture than alternative products.
- Tenax Deeper is food safe (with certificate). Nevertheless, the following also applies: Remove excess material with acetone. - Allow to dry well before packaging.
- Do not use absorbent packaging material!

Article#	Container ml	Pack. unit
142905	1000	12

Quantity scale

6 pce 10%



Akemi stone soap

A special product for the regular cleaning and care of natural and artificial stone.

- Regular use protects the stone, preserves structure and colour.
- Concentrate made of high-quality care agents, auxiliary agents and scents
- Free of phosphates, lyes, waxes and polymers
- Biodegradable

Article#	Container ml	Pack. unit	Akemi#
109236	1000	6	10830
109235	5000	2	10831

Brillo 750 ml

Gives a water repellent and stain resistant effect.

- Silicone-based liquid wax used to renew the polish of marble, granite, natural stones and gres.
- It can be used to clean ceramic tiles in kitchen and bathroom and protect them from dirt and smog.
- The very high quality components of its formula provide a triple action on the treated surface: removing grease and smog, polishing with highlighting colors and veins, impregnating and achieving superior resistance to stains such as water, wine and oil. Apply with a clean cotton cloth.
- After drying, which takes a few minutes, the surface must be polished with a soft, clean cloth. It is advisable to work in a well-ventilated room.



Article#	Container ml
121115	750

Liquid wax PL 750ml can

Liquid wax that enhances the color and revives the beauty of marble and granite. It leaves a pleasant wet effect.


- Suitable for sandstone, marble, granite, terrazzo, quartz composite, concrete
- Application: cloth, angle grinder, single disc machine



Article#	Container ml
131383	750

Quantity scale

3pce 10%



Polishing powder granite

Powdery polish for polishing with felt. Before using the polish has to be mixed with water.

- For granite
- Purify dredged
- Container kg: 5

Article#	Colour
104043	Black
104042	White

Saxo mild stone soap

A special product for the regular cleaning and care of natural and artificial stone.

- Regular use protects the stone, preserves structure and colour
- Concentrate made of high-quality care agents, auxiliary agents and scents
- Free of phosphates, lyes, waxes and polymers
- Biodegradable



Quantity scale

2pce 10%

Article#	Container ml	Pack. unit
109775	1000	10
109776	5000	2

Quantity scale

10pce 10%



Saxo shale oil 1,0 L

Used for maintenance of slate surfaces (eg floors, stairs, tables and windowsills) indoors.

- Clean and care for coloured-slate
- Increase the colour and protects the surface
- Perfect for used surface

Article#	Location	Container ml	Pack. unit
111810	Indoors	1000	2

Quantity scale

10 pce 10%



Saxo stone polish 1,0 L

Polishes and maintains artificial and natural stone.

- Liquid consistency
- Easy to apply
- Fast drying time
- Water-repellent effect
- Revives color and structure with brilliant shine

Article#	Location	Container ml	Pack. unit
109772	Indoors	1000	10

Saxo wax paste 500 ml

For Marble and Granite for professional removals of errors, which are due to small cracks.

- High water resistance
- 500 ml package
- Can be polished dry
- Gives the color of the stone intensity and shine
- Container ml: 500



Quantity scale

12 pce 10%
24 pce 25%
36 pce 35%

Article#	Colour
107346	Black
107350	Neutral

Quantity scale

12 pce 10%



Akemi algae and moss re-mover

Fast-acting, slightly alkaline cleaner which is solventless.

- Immediately and thoroughly removes natural layers and discolouration caused by blossoms and leaves, bird droppings and other kinds of dirt from grave stones, walls, stone-slab footpaths and other stone surfaces such as marble, granite, concrete and other natural stones.

Article#	Container ml	Pack. unit	Akemi#
109234	500	12	10825
108950	1000	6	10832
109233	5000	2	10833

Akemi concrete film remover

Concentrated cleaning agent, acidiferous, biodegradable.

- Powerful cleaner for the removal of mortar, lime residues, efflorescence, cement films and other stubborn deposits on tiles, natural and artificial stones
- Not suitable for limestone and other natural stones which are not resistant to acids!
- Acid: 1



Quantity scale

6 pce 10%

Article#	Container ml	Pack. unit	Akemi#
109246	1000	6	10810
109245	5000	2	10811

Quantity scale

12 pce 10%



Akemi Crystal Clean 500 ml

Cleaning agent made of tensides, auxiliary agents, scents and alcohol.

- For the daily removal of slight dirt like for example slight films of oil and grease, road dirt on polished natural and artificial stones as well as on fine stone ware, clinker and ceramics, quartz-based surfaces or similar
- Free of streaks and fast drying
- Free of acids, lyes and phosphoric substances
- Biodegradable
- Foodsafe (certified by an external German testing institute)

Article#	Akemi#	Container ml	Pack. unit
112157	10954	500	12

Akemi disinfectant cleaner 1,0 L

Acidic cleaner which quickly and durably removes stubborn lime deposits, rust stains, soap residues and dirt on acid-resistant natural and artificial stones, tiles and plastics as well as glass and stainless steel in kitchens, wet rooms and sanitary facilities.

- Coverage app. 10-20 m²/Liter
- Not suitable for limestone and other natural stones which are not resistant to acids!



Quantity scale

6 pce 10%

Article#	Akemi#	Container ml	Acid	Pack. unit
109241	10826	1000	1	6

Quantity scale

12 pce 10%



Akemi epoxy remover 1,0 L

Removes joint mortar based on epoxy resins, residues of resins, sealings, adhesives and similar staining on natural stone, concrete ashlar, clinker and ceramics indoors and outdoors.

- Free of acids, lyes and CHC
- Based on highly effective solvents
- No pungent odour
- Easy application also on vertical surfaces due to its liquid, slightly gel-like consistency

Article#	Akemi#	Container ml	Pack. unit
115278	11983	1000	6

Quantity scale

6pce 10%



Akemi Graffiti remover 1,0 L

Highly-effective, gel-like solvent mixture.

- Removes graffiti paint and felt-tip pen drawings from unprotected surfaces which are not sensitive to solvents such as natural and artificial stone, concrete and metal.

Article#	Akemi#	Container ml	Pack. unit
106200	10880	1000	6

Akemi impregnation remover

Akemi impregnation remover is suitable for the removal of color deepening caused by impregnations as well as stubborn dirt stubborn stains (e.g. paint residues) on natural stone, cast stone, ceramics, bricks and clinker.

- Ideal for floor coverings.
- Due to its gel-like consistency, the product can product can also be used on vertical surfaces such as facades.
- Consumption: approx. 5-20 m²/liter (undiluted)



Article#	Akemi#	Colour	Container ml	Pack. unit
122355	12003	Yellow/White	1000	6

Akemi oil- & grease remover paste 250 ml

Removes grease, oil, wax stains and discolorations arising from plasticizers in sealants on all kinds of natural and artificial stone, ceramic as well as cotto surfaces.



Article#	Container ml	Pack. unit
108143	250	12

Quantity scale

6 pce 10%



Akemi rust remover

Concentrated cleaning agent, acidiferous. Free of hydrochloric acid, biodegradable.

- Enables rust and rust stains to be removed effortlessly from acid-resistant natural and artificial stone
- Rusty metal inclusions in natural stone (granite) are automatically transformed with a long-term protective effect
- Not suitable for limestone and other natural stones which are not resistant to acids!
- Acid: 1

Article#	Container ml	Pack. unit	Akemi#
109244	1000	6	10814
109243	5000	2	10815

Akemi rust remover marble 500 ml

- Cleaner is not suitable for limestone and other types of stone sensitive to acid.



Article#	Akemi#	Container ml
116320	10999	500

Quantity scale

20 pce 10%



Akemi stone cleaner

Slightly alkaline, highly concentrated cleaning agent.

- For the thorough removal of building dirt
- Removes layers of stone polish and wax, slight concrete films, oil and grease, soot and tar stains, residues of synthetic paints as well as plaster on all natural and artificial stones such as marble, travertine, terrazzo, granite, brick and cotto slabs, tiles, fair-faced concrete and fine stoneware.
- Free of phosphates and lyes, biodegradable
- Foodsafe (certified by an external German testing institute)

Article#	Container ml	Pack. unit	Akemi#
109249	250	20	10808
109248	1000	10	10812
109247	5000	2	10813

Quantity scale

12 pce 10%



Akemi Triple Effekt 500 ml

Ready-to-use, highly effective stone care and impregnation spray.

- Pumpspray for the regular care and protection of fine ground and polished natural and artificial stones (such as marble, granite and concrete ashlar).
- Three effects are achieved in one single operation: deep cleaning; water-, oil- and grease repellent protection; restores lustre.
- Contains modified organic compounds, combined with cleaning components which do not form layers.
- Natural fresh odour.
- Foodsafe (certified by an external German testing institute)

Article#	Akemi#	Container ml	Pack. unit
109337	10846	500	12

Akemi wax stripper 1,0 L

For the effortless removal of tar and bitumen, dissolves even stubborn layers of wax.

- Coverage app. 5-10 m²/Liter



Quantity scale

6 pce 10%

Article#	Akemi#	Container ml	Pack. unit
109238	10816	1000	6

Quantity scale

10 pce 10%



Saxo algae and mildew remover 1,0 L

For all natural and artificial stones to remove green coatings, the usual impurities and dirt deposits.

- Neutralizing concentrate
- Free of chlorine and acid
- Packing unit 10 pieces

Article#	Container ml	Pack. unit
109762	1000	10

Quantity scale

2 pce 10%



Saxo concrete film remover

For granite, gneiss and other natural stones. For removing cement residues and stubborn dirt deposits.

- Ideal against rust stains
- Acid: 1

Article#	Container ml	Pack. unit
109758	1000	10
109759	5000	2

Saxo oil remover paste 250 ml

For all natural and artificial stones for removing oil, grease contaminants as well as rim stains.

- CFC free



Quantity scale

10 pce 10%

Article#	Container ml	Pack. unit
109779	250	10

Quantity scale

2 pce 10%
4 pce 25%
6 pce 35%



Saxo outdoor cleaner

For all natural and artificial stones for removing stubborn dark and green coatings as well as discoloration.

- Highly active
- Ready to use
- Also has a preventive effect

Article#	Container ml	Pack. unit
109760	1000	10
109761	5000	2

Quantity scale

3pce 10%



Saxo special cleaner acid based 10,0 L

Concentrated, highly effective cleaner for removing extremely stubborn dirt and atmospheric deposits.

- Concentrate with hydrofluoric acid
- Removes persistent contamination

Please refer to our safety data sheet for this product!

Article#	Container ml	Acid	Pack. unit
109784	10000	1	1

Saxo special cleaner highly alkaline 1,0 L

Highly alkaline special cleaner for the removal of stubborn deposits, oily/greasy impurities, residues of soil care products, self-glossy films, etc.

- For basic cleaning of soiled coverings
- For cleaning after laying



Article#	Container ml	Acid	Pack. unit
142008	1000	1	1

Quantity scale

2pce 10%



Saxo stone cleaner

For all natural stones to remove general dirt, oil and greasy contaminants.

- For all natural stones
- Acidless
- Removes general contamination of all kinds

Article#	Container ml	Pack. unit
109754	1000	10
109755	5000	2

10 pce 10%



For all natural stones to remove wax layers, oil, grease, tar, fresh colors, adhesive residues etc. The contaminants are dissolved and are then washed off with water.

- Acidless

Article#	Container ml	Pack. unit
109756	1000	10



Akemi color chart lettering colours

For the perfect matching of the font color on the stone.

Article#	Akemi#
145594	10084

Akemi lettering color spray

To accentuate inscriptions on monuments, gravestones and sculptures.

- Fast drying (approx. 15 min)
- High gloss
- Weather/UV resistant
- Clear contour, even on porous absorbent stones
- Very good adhesion on stone, wood and metal
- Non-chalking and non-yellowing
- Container ml: 400



Article#	Colour	Akemi#
149055	Anthracite	13401
105427	Antique gold	11416
105428	Antique silver	11417
110044	Black	11419
149290	Bronze	13417
149287	Brown	13409
149386	Dark gold	13415
149286	Dark-Grey	13402
149288	Light grey	13403
149056	Light-Grey	13404
149289	Traffic white	13405
112417	White	11418



Akemi lettering colour 100ml

To accentuate inscriptions on monuments, gravestones and sculptures.

- Fast drying
- High gloss
- Weather and UV-resistant
- Clear contour, even on porous and absorbent stones
- Very good adhesion on stone, wood and metal
- Does not deform or yellow
- Packaging unit 6

Article#	Colour
142160	Anthracite
131151	Antique silver
104100	Black
148915	Bronze
121584	Brown
142166	Clay brown
149266	Copper
142164	Dark gold
106162	Dark-Grey
142171	Grass green
104102	Light grey
145593	Light-Grey
142168	Ocher
142167	Rape yellow
104103	Red brown
142169	Signal blue
142170	Signal red
142161	Traffic white
104101	White



Akemi lettering primer spray

To accentuate inscriptions on monuments, gravestones and sculptures.

- Increasing the color intensity and opacity of type inks
- Reduction in the consumption of type inks
- Improved adhesion of lettering inks
- Fast drying (approx. 15 min)
- Fluid consistency
- Very high opacity
- High layer thickness

Article#	Akemi#	Container ml
148544	11072	400

Akemi paint thinner

Especially for Akemi lettering.

Akemi lettering dilution 100 ml



Article#	Akemi#	Container ml
104104	11415	100



Akemi primer light gray 400 ml

Primer spray fast drying, high adhesion.

Article#	Akemi#	Colour	Container ml
119764	90004	Light grey	400



weha Premium lettering spray

1-component varnishes based on nitro-alkydal compounds and 4-fold ground color pigments. For making or renewing high-quality lettering on gravestones, monuments and sculptures indoors and outdoors.

- Dries within a few minutes
- Very high covering power
- Resistant to weathering and light

Article#	Colour
152122	Anthracite
101549	Black
111041	Gold
152123	Hazel
152121	Light grey
152120	Light-Grey
151131	Silver
113375	White



Akemi color fan colorchart

Handy color fan with over 50 shades of the Akemi Colour Matching System.

- A complete system for the attainment of invisible bonding and connecting joints on natural and artificial stone, quartz and large-size ceramics/porcelain.
- The system is available in more than 50 different colours and consists of the products Colour Bind P+, Spectrum Pastes, Composil, Everclear 300 and AKEPOX® 5010.

Article#	Akemi#
130190	10070

Akemi pump for liquid hardener

Ensures exact dosing when hardener liquid is being applied manually.



Article#	Pack. unit
111384	1

Quantity scale

3 pce 10%
5 pce 25%



Cartridge gun - manually

- Housing made of impact-resistant plastic
- Ergonomic design
- Balanced and lightweight
- Integrated pressure relief

Article#	For cartridge ml	Mixing ratio	Pack. unit
105638	50	1:1, 2:1	1

Quantity scale

3 pce 10%
5 pce 25%
10 pce 35%



Cartridge gun - manually

- Manual cartridge press
- For 1:1 cartridges
- Very robust

Article#	For cartridge ml
115302	50

Cartridge gun for silicone

- Manual cartridge press profi-skeleton
- Smooth with rotating bowl
- For cartridges up to 310 ml
- Weight 630 g



Article#	For cartridge ml	Pack. unit
108803	310	1



Cartridge gun MR200

- Manual caulking gun
- Compressive force 25:1
- 100 ml & 100 ml cartridges
- Weight 2000 g

Article#	For cartridge ml	Mixing ratio	Pack. unit
131884	200	2:1, 10:1	1



Cartridge gun MR200X

- Manual caulking gun
- Compressive force 25:1
- 200 ml / 100 ml & 100 ml cartridges
- Weight 2000 g

Article#	For cartrid- ge ml	Mixing ratio	Pack. unit
116009	200	10:1	1

Cartridge gun MR400 pneumatic

- Pneumatic caulking gun
- Compressive force 2.2 kn
- 6.8 BAR
- 400 ml – 200 ml & 200 ml cartridges
- Dosage very finely adjustable
- Weight 3000 g



Article#	For cartrid- ge ml	Mixing ratio	Pack. unit
137249	400	2:1	1

Quantity scale

3 pce 10%
5 pce 15%



Cartridge gun MR400X

- Manual caulking gun
- Translation force 25:1
- 200 ml & 400 ml cartridges
- Weight 1700 g

Article#	For cartrid- ge ml	Mixing ratio	Pack. unit
108784	200, 395, 400, 490	2:1	1



Cartridge gun MR50

- Manual caulking gun
- Compressive force 16:1
- Stamp of 2: 1 & 1:1 case
- Weight 300 g

Article#	For cartridge ml	Pack. unit
137531	50	1

Mixing nozzle for Saxo Pox and Saxo PU construction adhesive 50ml

- Simple assembly
- Reliable mixing



Article#	For cartridge ml	Mixing ratio	Pack. unit
151175	50	1:1, 2:1	1

Quantity scale

50 pce 10%
100 pce 25%
200 pce 35%
500 pce 45%



Mixing nozzle MAH 05-13D with dental tip

Mixing nozzle for the old system 50ml Saxo Pox.

- Simple assembly
- Reliable mixing

Article#	Akemi#	For cartridge ml	Mixing ratio	Pack. unit
106141	10629	50	1:1	25

Quantity scale

50 pce 10%
100 pce 25%
200 pce 35%
500 pce 45%



Mixing nozzle MBH 05-12D with dental tip

Mixing for new cartridge system 50ml Akepox Mini-Quick 3000, Akepox 5010, Saxo Pox.

- Simple assembly
- Reliable mixing

Article#	Akemi#	For cartridge ml	Mixing ratio	Pack. unit
112991	14031	50	1:1	25

Mixing nozzle MBH 05-16T

Mixing nozzle for 50ml cartridge Akepox 2010 Gel Mix and Akepox 2030.

- Simple assembly
- Reliable mixing



Quantity scale

50 pce 10%
100 pce 25%
200 pce 35%
500 pce 45%

Article#	Akemi#	For cartridge ml	Mixing ratio	Pack. unit
113354	14032	50	1:1, 2:1	12

Quantity scale

50 pce 10%
100 pce 25%



Mixing nozzle MCH 10-18T

Mixing nozzle for 200/265/400ml cartridge Everclear 300, Akepox 2030/5010/3015/Single Mix.

- Simple assembly
- Reliable mixing

Article#	Akemi#	For cartridge ml	Mixing ratio	Pack. unit
105699	10665	180, 200, 395, 400	2:1	25



Mixing nozzle MFH 10-18T

Mixing nozzle for 395 ml cartridge 1:1 Everclear 510 and for 400 ml cartridge 2:1 Everclear 300.

Mixing nozzle for introducing the adhesive into the glue line.


- Inner-Ø: 10,0 mm
- Outer-Ø: 14,0 mm
- Length 224 mm

Article#	Akemi#	For cartridge ml	Mixing ratio	Pack. unit
147393	14032	400	1:1, 2:1	12

Mixing nozzle MFHX 10-18T

Mixing nozzle for cartridge Akemi MS76 490ml and Akemi Colour Bond 250ml.

- Simple assembly
- Reliable mixing



Article#	Akemi#	Length mm	Mixing ratio	Pack. unit
115671	10552	187	10:1	25

Notice

[illegible]

Notice

[illegible]

Airocoll _____	8	Natural stone silicone _____	6
Akemi algae and moss remover _____	38	Paint thinner _____	48
Akemi color fan _____	50	Polishing powder _____	36
Akemi colour intensifier _____	29	Saxo activator _____	23
Akemi colour intensifier _____	30	Saxo algae and mildew remover _____	42
Akemi colouring paste _____	8	Saxo basic cleaner _____	44
Akemi concrete film remover _____	38	Saxo colour intensifier _____	33
Akemi Crystal Clean _____	39	Saxo concrete film remover _____	43
Akemi disinfectant cleaner _____	39	Saxo fiberglass adhesive _____	24
Akemi dosing pump _____	50	Saxo mild stone soap _____	36
Akemi epoxy remover _____	39	Saxo Nano impregnation _____	33
Akemi graffiti remover _____	40	Saxo oil remover paste _____	43
Akemi hardener _____	9	Saxo outdoor cleaner _____	43
Akemi impregnation remover _____	40	Saxo Pox _____	24,25
Akemi Impregnator _____	31	Saxo shale oil _____	36
Akemi L-Spezial _____	12	Saxo special cleaner _____	44
Akemi marble filler _____	10,11,12,15	Saxo stone impregnation _____	34
Akemi MS76 _____	13,14	Saxo stone polish _____	37
Akemi oil- & grease remover _____	40	Saxo superglue _____	25
Akemi Pearl Impregnator _____	31	Saxo wax and oil remover _____	45
Akemi Platinum _____	15	Saxo wax paste _____	37
Akemi primer _____	48	Silicone smoothing agent _____	7
Akemi Rust remover _____	41	Tenax _____	26,27,34
Akemi rust remover _____	41		
Akemi stain repellent _____	28,29		
Akemi stone cleaner _____	41		
Akemi stone impregnation _____	31		
Akemi stone seal _____	32		
Akemi stone soap _____	35		
Akemi Top Shield _____	33		
Akemi Triple Effekt _____	42		
Akemi wax stripper _____	42		
Akepox 1005 _____	15		
Akepox 2000 _____	16		
Akepox 2010 _____	16,17		
Akepox 2030 _____	17,18		
Akepox 2040 _____	18		
Akepox 3000 _____	19		
Akepox 3015 _____	19		
Akepox 4050 _____	5		
Akepox 5000 _____	19		
Akepox 5010 _____	20,21		
Akepox colouring paste _____	21,22		
Anti slip _____	5		
Brillo _____	35		
Cartridge gun _____	50,51,52,53		
Color chart _____	46		
Contact _____	23		
Contact saw wire _____	22		
Contact special cleaner _____	23		
Lettering colour _____	47		
Lettering colour spray _____	46,49		
Lettering primer _____	48		
Liquid wax _____	35		
Mixing nozzle _____	53,54,55		

Still haven't found what you're looking for?

There is even more choice and offers at weha.com



Order before 3 pm
for same day dispatch





Secure shopping
thanks to SSL encryption



Parcel shipping free
except packing costs

Quick help
via chat function





Contact details:
weha Ludwig Werwein GmbH
Wikingerstr. 15
DE-86343 Königsbrunn

+49(0)8231 | 6007-0
info@weha.com
www.weha.com



Subject to errors, changes and technical developments.

August 2024

Only valid while stocks last.